

SENIOR HOUSING OPTIONS

Aging in Place with ...

Universal Home Design

www.archhousing.org

Convenience, Ease, and Livability

Remodeling Building Buying a Home



Table of Contents

East King County Resources	3
Other Resources	4
Universal Design	6
How To Use This Guide	6
Site Planning and General Floor	7
Step-Free Entry	8
Entrance	9
Kitchen	10
Bathroom	12
Laundry	14
Bedrooms	14
Living and Dining	15
Storage and Garage	15
Doorway, Hallways and Floors	16
Windows and Stairs	17
Flectrical Outlets and Controls	18

Many thanks to SAIL from ARCH-

With permission, this guide to "Aging in Place with Universal Home Design" originated from "A Practical Guide to Universal Home Design", created and produced by East Metro SAIL. SouthEast Metro SAIL, a project funded by the Minnesota Department of Human Services, has granted ARCH permission to use and modify their document.

ARCH - A Regional Coalition for Housing — Working Together for Housing in East King County
Beaux Arts Village ◆ Bellevue ◆ Bothell ◆ Clyde Hill ◆ Hunts Point ◆ Issaquah ◆
Kenmore ◆ King County ◆ Kirkland ◆ Medina ◆ Mercer Island ◆ Newcastle ◆ Redmond
◆ Sammamish ◆ Woodinville ◆ Yarrow Point

East King County Resources

King County Housing Repair Program

King County provides funding for housing repair services to low-income homeowners and renters in most parts of the county. For the contact information about this program as well as other housing repair resources in King County.

http://www.kingcounty.gov/socialservices/ Housing/ServicesAndPrograms/Services/HousingRepair.aspx 206-263-9095

Master Builders Association

The Master Builders Association of King and Snohomish Counties has local consumer resources for constructing, remodeling and locating members. This is a King & Sno County site that you can query for local contractors, but does not query for contractors with CAPS certifications.

http://www.masterbuildersinfo.com/index .cfm?Consumers

ARCH - A Regional Coalition for Housing

The ARCH website provides information regarding construction of accessory dwelling units, hiring contractors and financing options.

http://www.archhousing.org/current-residents/accessory-dwelling-unit.html

City of Bellevue - Home Repair ProgramBellevue provides funding for housing repair services to low-income homeowners and renters.

http://www.bellevuewa.gov/homerepair a ssistance eligibility.htm 425-452-6884

National Association of Home Builders
NAHB Remodelers Council, with the CAPS
(Certified Aging-in-Place Specialists) Board
of Governors has a web-based directory of
Certified Aging-in-Place Specialists. This
resource enables consumers to find
remodelers or contractors who specialize in
the aging in place in their local area.

A Certified Aging-in-Place Specialist (CAPS) has been trained in the unique needs of the older adult population, aging in place home modifications, common remodeling projects, and solutions to common barriers.

http://www.nahb.org/directory.aspx?section_nD=686&directoryID=188

Rampathon

This Master Builders Care Foundation program assists in constructing ramps for individuals.

http://www.masterbuildersinfo.com/index. cfm?/Community/Master-Builders-Care-Foundation/Rampathon 425-451-7920

mbcare@mbaks.com



Other Resources

Center for Universal Design

This national resource center offers publications and resources on accessible, adaptable, and universal design http://www.ncsu.edu/ncsu/design/cud/

North Carolina State University School of Design Box 8613 Raleigh, NC 27695-8613 1-800-647-6777

Home Modification Action Project

This national resource center offers publications and resources on remodeling for home accessibility.

http://www.homemods.org/

National Resource Center on Supportive Housing and Home Modification

Andrus Gerontology Center University of Southern California 3715 McClintock Avenue Los Angeles, CA 90089-0191 213-740-1364 homemods@usc.edu

American Association of Retired Persons (AARP)

The national seniors' advocacy organization offers printed materials and web resources on home accessibility and universal design http://www.aarp.org/home-garden/home-improvement/info-09-2009/what is universal design.html www.aarp.org 601 E St. NW Washington, DC 20049 1-800-424-3410

Northwest Universal Design Council

The Northwest Universal Design Council is a volunteer citizens group seeking to promote the incorporation of universal design principals, products, and processes that enable everyone, regardless of age or ability to "live actively by design."

http://www.environmentsforall.org/default.asp NWUDC

c/o Aging & Disability Services P.O. Box 34215 Seattle, WA 98124-4215

Aging in Place with ... Universal Home Design

Universal Design is the idea of making things comfortable and convenient for as many different people at as many stages of life as possible.

These common-sense features can make your home a more pleasant place to live right now, and avoid unnecessary hassles and expensive changes in the future. Room by room, this checklist can help you consider your options and increase the ease and flexibility of your home.

Many of the guidelines may seem like obvious, common-sense ideas. In fact, they are likely to become standard in the future, just as we now take for granted the basic safety and energy efficiency features that were forward-thinking in their time.

Who is your home built for?

Traditionally, many homes were tailored for an imaginary "average" person – a healthy, fit, young man of average height. Universal design uses simple, proven ideas to make any home more comfortable for a wide range of people:

Families with young children?
People who want to stay in their homes as they grov
older?
People who want to simplify their housekeeping?
People who are taller or shorter than average?
People who use wheelchairs or walkers?

Universal Design adds...

FLEXIBILITY

Easier to adapt the home as your own lifestyle changes, or as others live in the home.

SIMPLICITY

Makes everyday life simpler in many ways - housekeeping, storage, entertaining, seasonal maintenance.

STYLE AND INDIVIDUALITY

Universal design can be both beautiful and comfortable.

SAFETY

Eliminates common causes of home accidents.

How to Use This Guide

Remodeling?

Work with a contractor who understands the importance of the features in this checklist and is experienced in applying them to different homes. Many of the features marked as "Essentials" are much cheaper to do "while you're at it" than as a separate project later when the need is pressing. They also address some of the biggest inconveniences or barriers in many homes.

Look for the throughout the following checklist and consider these features when you have an immediate need to adapt your home with limited resources. Most of these features are relatively modest in cost and require no major structural changes.

Building a home?

Make sure your home plan includes at least the "Essentials" listed for each area of the home. Be firm about things that will be important in the long run, even if they require some adjustments and creative thinking during the planning stage.

Buying or renting a home?

Use this checklist to walk through any home you are considering. If you are buying, seek knowledgeable advice about what it would cost to provide at least the "Essentials" listed for each area of the home. Let your real estate agent and home inspector know that these features are important to you. In new construction, many universal design features require little or no added cost.

Cost vs. Payback

In a remodeling project, much depends on the structure and layout of your current home. You should seek knowledgeable advice about the cost of each feature, and set your priorities according to the immediate and future benefits particularly if you hope to continue living in your home in your later years.

Most people who incorporate universal design into their homes say that the real payback is being able to live the lifestyle they want. An increase in resale value is not an immediate certainty. However, population trends indicate that the market for these features will grow in the future.

Site Planning and Landscaping Essentials: ☐ Main floor at ground level, ideally with no steps or ramps needed to enter. At a minimum, one entrance should be at ground level. ☐ Maintenance-free exterior and trim. ☐ Level walkways with little or no slope. Any slope should be very gradual no more than 1 inch of rise per 20 inches of walkway. ☐ Trees, shrubs, and plants that require little maintenance (raking, pruning, watering, mowing). ☐ All walkways at least 36 inches wide. **Worth Considering:** ☐ Passive or active solar heating. Example: Plenty of south-facing windows to capture sunlight in winter. ☐ Garden planters at convenient heights, and raised beds for flowers and vegetables. ☐ South-facing walkways (and ramps, if any) to reduce growth of moss and icy conditions in winter. General Floor Plan Essentials: ☐ Kitchen, bath, laundry, and at least one sleeping room (no smaller than 12 feet by 12 feet) on the main floor. The sleeping room can be used for different purposes at different times: den, office, playroom, etc. ☐ Open floor plan (avoid long, narrow hallways; consider larger open areas without sharp boundaries between rooms, such as a kitchen/dining/family room area).


Worth Considering:

Weight of the building resting on external walls of the home, avoiding "load-bearing"
inside walls. This allows walls between rooms to be moved much more easily and
inexpensively to change the layout.

☐ Closets "stacked" over each other in a multi-story home, to allow for future installation of an elevator or lift (allow at least 60 inches by 60 inches for installation).

Steps and Entryways

Outdoor steps can be not just a fall waiting to happen, but also a daily hassle for yourself and your visitors, especially in wintry weather. Full basements are common in our part of the country, however, and that typically means the first floor is 18 to 36 inches above the ground. Stairs at the front door and back door have been the usual way to handle that.



If you're building a new home, you can avoid the problem through one or more design techniques: Take advantage of any natural slope in the land to make at least one of the doors at ground level. Weigh the costs and benefits of digging a deeper basement so the first floor is at or near ground level. Consider the landscaping solution of grading the yard to create a slope or "berm" of earth leading up to the door, on which you can place a straight or gently curved walkway. (Be sure the slope is very gradual – ideally no more than 1 inch of rise for each 20 inches of walkway.)


If you're remodeling or buying a home, a wooden or concrete ramp is the most common and sometimes most cost-effective solution. You can also integrate a ramp into a deck or a careful landscaping plan. Depending on circumstances, building up a slope or "berm" of earth to create a new walkway to an existing home may be a good alternative.

Mechanical lifting equipment is another option, but it can take a beating in our climate and will not help during a power outage.

Entrance

Essentials:

- □ Door at least 36 inches wide, to allow for a 34-inch clear opening when the door is open at a right angle.
- ☐ No split-level entry.
- ☐ Porch floor, stoop, or landing at the same level as the floor inside the home (no step up or step down to enter home).
- Entrance protected from weather (important when door has no raised threshold)
- 2 Sidelight made of high-impact glass (for security)
- 3 Step-free entry
- 4 Ample side space to avoid the swing of the door
- ★ Door locks that are easy to operate, such as keyless locks with a remote control or keypad.
- ★ Lever-style door handles (not round doorknobs).
- ★ Peepholes at heights for adults, children, and people using a wheelchair; or sidelights (tall, narrow window along one or both sides of the door).
- ★ Good lighting both inside and outside the entrance.
- ★ No raised threshold much easier for strollers, wheelchairs, rolling luggage, etc., and reduces the risk of tripping.



- 1 Well-lit entry, both inside and outside
- 2 Door at least 36 inches wide, allowing a 34-inch clear opening
- 3 Lever-style door handles
- 4 Ample side space to avoid the swing of the door

home checklist – Entry cont.


*	A roof, canopy, or awning to protect the entra have no raised threshold under the door).	anc	e from rain and snow (essential when you
	Ample landing space both outside and inside to landing). The outside landing should be set off to be out of the way of the door swing.		• • •
Wo	orth Considering:		
	Lighted doorbell.		
	Intercom system (can be connected to your reg	gula	ar telephone or to a special speaker).
	Handy shelf outside the door (such as on the open the door.	е ро	orch railing) to set down items while you
	House number in large, simple, color-contrast lett Push-button power door (works great when yo		5 ,
Ki	tchen Essentials:		
*	Enough clear counter space to set down dishes next to all appliances and cupboards. Plenty of open floor space to maneuver around the kitchen.		Counters and other work surfaces at two or more different heights. One counter section at least 30 inches wide should accommodate a seated person (the surface)
*	Anti-scald faucet with a single lever (not two knobs or two handles to turn on and off).		about 28 inches to 32 inches above the floor), with open knee space below.
*	Appliance controls that are easy to read, easy to reach, and can be operated by		A kitchen drawer could be converted to a work surface by fitting a cutting board on it.
*	touch as well as sight. Easy access to kitchen storage (pull-out shelves, lazy susans in corner cupboards, adjustable-height cupboards).		Open space under the sink to allow for a seated user (be sure to insulate pipes to avoid burns), with flooring material laid all the way to the wall under the sink.
*	Good task lighting over sink, stove, and other work areas.		Raised platform under dishwasher to reduce bending and kneeling. Storage can be incorporated in the platform.
	Rounded corners, not sharp edges, on counters.		Dishwasher height should be determined by the comfort levels of those who use it most

and kitchen work flow.

★= An immediate need, limited resources, and

limited time (requires no structural changes)

home checklist - Kitchen cont.




Worth Considering:

- ☐ Pullout work boards in strategic locations, such as near the oven, refrigerator, and microwave.
- ☐ Pantry-type closet with rollout shelving.
- ☐ Sink with the drain placed toward the back, rather than in the middle, so that the pipes below the sink are less in the way for storage or for a seated user.
- ☐ Some electrical switches and outlets placed at front edge of lower cabinets (just under counter) for easier access. (Be sure to use childproof outlets.)
- ☐ Stove or cooktop with controls in the front.
- ☐ Extra outlets for small appliances, electronics, etc.

- ☐ "Power sink" that raises or lowers at the push of a button. (Be sure the wallcovering and floor covering extend to accommodate the full range of the sink's upper and lower settings.)
- ☐ Color-contrast edging on the front edge of counters, to avoid spills and bumps for people with lower vision.
- ☐ Built-in storage space for recyclable materials, easy to access and remove.
- ☐ Spring-loaded switch for the garbage disposal, so that it must be held in the "on" position to operate (safety feature).
- ☐ Side-by-side refrigerator-freezer.

Bathroom Essentials:

- □ Door 36 inches wide, to allow for a
 34-inch clear opening when the door is open at a right angle.
- ☐ Ample floor space for maneuvering between bathroom fixtures. Allow at least 30 inches by 48 inches of clear floor space among the fixtures; 60 inches by 60 inches is ideal. (If your shower entrance has no raised threshold, the shower floor can provide part of the clear maneuvering space.)
- ☐ Walk-in shower with little or no threshold or lip to step over – ideally no more than 1/2 inch, and beveled to provide a tiny "ramp" rather than a



- 1 Rocker-style light switch
- 2 No "lip" to step over at shower entrance
- 3 Shower control easy to reach while standing or sitting
- 4 Grab bars: Placement can vary according to your needs
- 5 Space under sink to accommodate a seated user

tripping obstacle. Slope the shower floor a maximum of 1/8 inch per foot. (Alternatively, design a bathroom closet that can be converted to a walk-in shower, or place the tub in such a way that it can later be replaced with a walk-in shower.)

- ☐ Shower size: Minimum 36 by 36 inches; for a roll-in shower, allow 36 inches by 60 inches.
- ★ Adjustable-height, handheld showerhead, with controls that are conveniently placed and easy to operate.
- ☐ Properly reinforced grab bars in the bath and shower, and at least reinforced walls to allow for grab bars near the toilet. (See "Grab Bars," page 13.)
- ★ Anti-scald faucet with a single-lever handle, for both the sink and the tub or shower.
- ☐ Clearance under the sink to allow for a seated user, with flooring material extended into the open area under the sink. (Be sure to insulate pipes to prevent burns.)
- ☐ Rounded corners, not sharp edges, on bathroom counters.
- ★ Toilet seat height appropriate for the household 17 to 19 inches high for middle-age and older people, lower for children.
- ★ Mirror(s) placed for both standing and sitting, such as a full-length or tilting mirror.
- ★ Good-quality, non-glare lighting.

★= An immediate need, limited resources, and limited time (requires no structural changes)

home checklist - Bathroom cont.

Worth Considering:

Shower seat or platform, either built in or freestanding (handy for washing feet and
shaving legs, as well as for people with limited strength or mobility).
Pocket (sliding) door to save the "swing space" needed for a hinged door.
Telephone jack in the bathroom, to call for help in case of a fall.
Rollout or pullout storage shelves in cabinets, to minimize kneeling and bending.
Bathroom counters at two different heights, or an adjustable-height surface.
Bathroom sink with a side-mounted faucet, easier for children and many others to reach.
Adjustable-height "power sink" or two sinks at different heights.
Sink with the drain placed toward the back, rather than in the middle, so that the pipes
below the sink are less in the way for storage or for a seated user.
Heat lamp (for comfort), usually installed in the ceiling.

Grab Bars - Grab bars are an essential safety feature as well as a handy ergonomic feature. Now they're practically a designer accessory too, judging from the fast-growing selection of colors and styles. They make good towel bars and they're there when you need them for balance.

The following method allows for sturdy attachment and also for easy repositioning, as changing needs may call for grab bars of different heights or lengths:

Reinforce the walls near the toilet and shower or bath by installing 3/4 inch plywood panels. Notch the plywood into the wall studs to provide a flat wall surface, then install wall covering (drywall, tile, etc.) over the plywood.


Three factors ensure that your grab bars will "be there for you" when you reach for them:

- □ How big around is it? The typical diameter is 1 1/2 inches; 1 1/4 inches may work better for people with smaller hands and for people who don't have a strong grip.
- ☐ How far does it stick out from the wall?

 The grab bar should be designed to leave at most 1 1/2 inches of clear space between the wall and the inside edge of the grab bar.
- ☐ What is it attached to? A grab bar that's not properly installed can pull away from the wall and let you down just when you need it most.

Laundry Essentials:

- □ Laundry area on main floor, near the bathroom and bedrooms. (If laundry is in the basement initially, make provisions that would allow relocating it to the main floor an easily adaptable space with electrical and plumbing connections.)
- ★ Good task lighting in the laundry work area.
- 🛨 Appliance controls that are easy to reach and operate, ideally at the front of the appliance.



Bedrooms Essentials:

Fold-out ironing board

- □ Doors 36 inches wide, to allow for a 34-inch clear opening.
- ☐ Ample maneuvering space after all furniture is in the room at least 36 inches on both sides of the bed, and ideally 60 inches on one side of the bed.
- ★ Telephone jack near the bed.
- ★ Light switches reachable from the bedside and the door, and located about 36 inches to 40 inches above the floor.

★ Extra electrical outlets near the bed (for medical equipment or rechargeable items, for example), placed 18 inches to 24 inches above the floor.

when not in use.

Closet rods reachable from a seated or standing position, or adjustable height rods.

★= An immediate need, limited resources, and limited time (requires no structural changes)

Li	ving and Dining Areas Es	sentials:				
	Large enough to accommodate normal furnishings and allow easy maneuvering around them.					
	Easy passage from kitchen to dining area.					
	Avoid changes in floor levels or floor material (such as vinyl to carpet) to prevent tripp while carrying food and drink.					
Wo	orth Considering:					
	Extra electrical outlets to accommodate	possible future needs, such as new l	nome technology.			
Cl	osets and Storage Essentia	s:				
*	 Heights and layout easily accessible for all household members. Well-lit, with a switch located outside the storage area. 	-	Adjustable-height shelving and closet rods.			
<u> </u>		★ Doors and handl	•			
		operate. (Avoid l type doors.)	bi-fold or accordion			
G	arage Essentials:					
	Ample room for maneuvering strollers vehicle(s). Provide at least a 3-foot cle	•				
	Paved driveway.					
	Easy pathway from garage to home en inches wide).	itrance (no steps to climb, all walk	ways at least 36			
Wo	orth Considering:					
	Garage attached to home with a direct	t (no-step) entrance to home.				
	Garage door tall enough to accommode extra 18 to 24 inches compared to mo		with a chairlift) – an			
	Sheltered walkway to the house, prot	ected from rain and snow.				

D	oorways and Hallways Essentials:
	Wide, spacious hallways and doorways for moving furniture as well as for maneuvering a wheelchair or walker.
	Hallways at least 36 inches wide; 42 inches is recommended.
	All doors 36 inches wide to allow for a 34-inch clear opening when the door is open 90 degrees.
*	Lever-type door handles (not round doorknobs).
W	orth Considering:
	Pocket (sliding) doors instead of swing doors, wherever possible.
	"Swing-clear" hinges that add a little more maneuvering room by moving the door completely out of the doorway.
FI	OORS Essentials:
	Single level – no sunken floors or split levels.
	No change of levels between rooms. If there must be a threshold between two different flooring surfaces, make it very low and beveled.
*	If there must be a step up or down, mark it well with a highly visible, color-contrast materia at the edge.
	Nonslip flooring throughout the house, especially in the bathroom, kitchen, and laundry.
	Carpeting that is sturdy, low-pile, and tightly woven (such as berber style).

Worth Considering:

 $\hfill \Box$ For wheelchairs, carpeting should be continuously glued to the floor, ideally with no padding.

☐ For wheelchairs, highly durable flooring (stone or ceramic tile) holds up best.

★ Eliminate throw rugs, to minimize the risk of tripping.

★= An immediate need, limited resources, and limited time (requires no structural changes)

Windows

Essentials:


- ☐ Energy-efficient windows that are easy to open, close, lock, and require little strength to use. (Crank handles are preferred.)
- ☐ Placement at a height that allows people to see outdoors while seated or standing with the windowsills about 24 inches to 30 inches above the floor.

Worth Considering:

- ☐ Tilt-in windows that allow easy cleaning of both sides.
- ☐ Screens that are lightweight and simple to remove and replace, ideally from the inside.



Avoid stair treads that stick out beyond the riser, causing a trip hazard.



Stairs Essentials:

- ★ Sturdy handrails on both sides of all stairways, whether inside or outside of the home. For round rails, the usual size is 1 1/4 to 1 1/2 inches in diameter.
- ☐ Stair treads deep enough for the entire foot at least 8 inches, but 10 to 11 inches is better.
- ☐ Stair rise no higher than 7 inches from one step to the next; a smaller rise is even better.
- ★ No carpeting on stairs, to reduce the risk of slipping. If carpeting is installed, use a tight weave and no padding.
- No open risers (open spaces between each step)
- ☐ Steps with no "nosing" (in other words, the tread should not extend out beyond the riser) to minimize the risk of tripping.
- ★ All stairways well lit, with a light switch at the top and bottom.
 (Light switches about 36 inches to 40 inches above the floor.)
- ★ Anti-slip strips on front edge of steps, in color-contrast material.

Worth Considering:

- ☐ Straight, continuous stairway, with no turns or curves, for cheaper and easier installation of a chairlift if needed later.
- ☐ Stairway at least 4 feet wide to allow for a future chairlift.

Electrical Outlets and Controls

Essentials:

- Light switches placed about 36 inches to 40 inches above the floor.
- Large rocker-style switches that are easy to turn on and off.
- ★ Electrical outlets placed about 18 inches to 24 inches above the floor, to minimize the need for bending down.
- ★ Thermostat and other controls placed about 48 inches above the floor.
- ★ Thermostat and control panels that are easy to read and simple to operate (check accessible equipment stores or web sites).
- ★ Telephone, cable, and modem jacks placed about 18 inches above the floor.
- ☐ Circuit breaker panel on the main floor and easy to access, perhaps in the laundry area.

Worth Considering:

- ☐ Lighted switches that are visible in the dark.
- ☐ Slide plates on outlets, to childproof the outlet when not in use.
- ☐ Motion-activated lighting that automatically turns on when someone enters the room.
- ☐ Switched outlets so that floor lamps and table lamps can be turned on and off with a wall switch.
- ☐ Plenty of electrical outlets for current or future equipment (placed 18 inches to 24 inches above the floor).
- ☐ Programmable thermostat to save energy at night or when you are not at home.
- ☐ "Zoned" heating and cooling, with separate thermostats for different parts of the house, to conserve energy while keeping the temperature comfortable where you are.
- ☐ Visible and audible alarms on smoke detectors and carbon monoxide detectors.

